






Products Available In The Trumeter Range




OEM



Mechanical



Distance



Electronic

Trumeter Company Ltd (HQ) (UK)
Tel: +44 (0)161 724 6311 Fax: +44 (0)161 724 9455
e-mail: sales.uk@trumeter.com

Trumeter Company Inc (USA)
Tel: (1) 954 725 6699 Fax: (1) 954 725 5599
e-mail: sales.usa@trumeter.com

Trumeter France
Tél: +33 (0)320 59 16 26 Fax: +33 (0)320 59 16 27
e-mail: ventes.france@trumeter.com

Trumeter Deutschland
Tel: +49 (0)7157 20801 Fax: +49 (0)7157 20813
e-mail: verkauf.deutschland@trumeter.com

Trumeter Ireland
Tel: 353 (0)41 983 7755 Fax: 353 (0)41 983 7753
e-mail: sales.ireland@trumeter.com

Trumeter (Malaysia) Sdn. Bhd.
Tel: +604 3999580 Fax: +604 3999685
e-mail: sales.malaysia@trumeter.com



Distance Measuring Products

www.trumeter.com

Trumeter Co Ltd have been designing and manufacturing world class distance measuring products for over 65 years, selling products all over the world it is not by accident we are leading the world.

Design has been at the very heart of our philosophy leading to the launching of new products regularly in many industries, the latest new addition is an innovative and world beating electronic measuring wheel for the professional markets.

The Measuremeter Revolution comes in a package with a price performance ratio envied by all our competitors. The challenge was to produce an electronic measuring wheel with all the features demanded by our most stringent customers at the same price as our current mechanical wheel.

The accuracy of any measuring wheel is largely dependent on the honesty of the outside diameter of the measuring wheel, any debris picked up by the wheel will incur significant errors to the measurement, with this in mind all Trumeter's road and land measuring wheels are fitted with a mud scraper ensuring an accuracy of +/- 1% giving you the correct measurement time after time.

The original and still the best Trumeter.

Trumeter prides itself on working in close partnership with its customers, building a reliable and sustainable association, by establishing open and constructive relationships Trumeter is able to deliver the best possible service.

www.trumeter.com



3025 | 3026
Hand Tally | Desk Tally

Description
The count on both the Hand and Desk Tally is incremented by pressing the easy-action thumb button on the top of the unit. Reset to zero is by use of the side mounted knob.

- Features**
- Simple to operate.
 - Low cost.
 - 4 digit readout.
 - Knob operated reset to zero on all models.

Specification 3025

| | |
|-----------------------|----------------------------|
| Product Number | 3025 3026 |
| Display | 4 digit 4mm white on black |
| Housing | Steel |
| Mounting | Hand (3025) Desk (3026) |
| Reset | Knob operated |

- Typical Applications**
- Hand counting of people, livestock, trees
 - Desk counting of documents, voting papers
 - Stocktaking
 - Use in locations where there is no electricity supply
 - Traffic census
 - Production counting
 - Exhibition attendance

Ordering Information

| | |
|-----------------------|------------|
| Order by type number: | |
| 3025 | Hand Tally |
| 3026 | Desk Tally |



3026-4
Ganged Desk tally

Description
The Ganged Desk Tally is simply a multiple version bench mounted version of the Desk Tally and is supplied with an integral pre-drilled mounting plate.

- Features**
- Simple to operate.
 - Low cost.
 - 4 digit readout.
 - Knob operated reset to zero on all models.

Specification 3026-4

| | |
|-----------------------|----------------------------|
| Product Number | 3026-4 |
| Display | 4 digit 4mm white on black |
| Housing | Steel |
| Mounting | Desk Ganged |
| Reset | Knob operated |

- Typical Applications**
- Hand counting of people, livestock, trees
 - Desk counting of documents, voting papers
 - Stocktaking
 - Use in locations where there is no electricity supply
 - Traffic census
 - Production counting
 - Exhibition attendance

Ordering Information

| | |
|-----------------------|-------------------|
| Order by type number: | |
| 3026-4 | 4 Gang Desk Tally |
| 3026-6 | 6 Gang Desk Tally |



3027
Electronic up, down count hand tally

Description
Ideal for users who need to add and subtract counts from a total, and who need to operate / view the counter in less than ideal conditions. The Handtally has separate buttons for add, subtract, backlight and Reset. The count keys provide positive feedback along with an audible click, for count registered.

- Features**
- Large LCD display with backlight.
 - Up down counting using left and right buttons.
 - Stylish, ergonomic case for easy holding.
 - Tactile keys for up, down and back light.
 - Keypad reset button.

Specification 3027

| | |
|-----------------------|---------------------------|
| Product Number | 3027 |
| Display | Large 4 digit LCD display |
| Housing | ABS |
| Mounting | Hand |
| Reset | Front panel |

- Typical Applications**
- Market Research
 - Laboratory Research
 - Inventory Control
 - Door Security
 - Traffic Survey
 - Airline Passengers
 - Exhibition attendance

Ordering Information

| | |
|-----------------------|--|
| Order by type number: | |
| 3027 | |



RAIL TRACK MEASURER

5061 | 5063

A robust design and quality product, offering a lifetime of reliable rail track measurement. Designed with the help of the UK's rail companies, it is the only choice for accurate, reliable rail track measurement. Integral side plates to fit over railway tracks and ensure stability. Each one supplied complete with carry case.



CAR DISTANCE MEASURER

5200

A two wheeled, pneumatic tyred measurer which can be attached to the towing ball on any vehicle. An encoder is linked by cable to a display unit which plugs into the vehicle's cigar lighter.



LAND 4x4 MEASURER

5041 | 5043

Extra rugged construction for use over agricultural land and other rough terrain including sports course management.



5000 ROAD MEASURER

5000

When you need accurate, reliable measurement along with robust construction, the industry standard 5000 road machine from Trumeter is the professionals choice. Day in day out the 5000 will guarantee your measurements.





Description

Set the world standard for accuracy and precise handling. Superbly balanced - the first choice of professionals worldwide. Approved by many Weights & Measures Authorities worldwide and by the United States National Transportation Safety Board (USNTSB) for accident investigation.

Features

- Industry standard.
- Lever resets to zero.
- Precise measurement.
- Brake and mud scraper.
- Adds forward subtracts in reverse.
- Stand folds away when not in use.
- Supplied complete with carry case.
- Folding handle with clip for easy carriage.
- Clear easy to read display.
- Accuracy $\pm 1\%$



Features

- Metric, imperial or dual reading models available.
- Robust heavy duty measurer.
- Adds forward subtracts in reverse.
- Built in declutch.
- Large display mechanical counter.
- Accuracy $\pm 1\%$

Ordering Information

Rail Track Measurer with Declutch
5061-511 Metres/Decimetres.
5061-512 Yards/Tenths.
5061-519 Feet/Inches.

Dual Reading Rail Track Measurer no Declutch
5063-511-511 Metres/Decimetres & Metres/Decimetres.
5063-511-512 Metres/Decimetres & Yards/Tenths.
5063-511-519 Metres/Decimetres & Feet/Inches.

- Calibration Certificate

Features

- Ideal for longer road measurements.
- Two LCD counters with free standing case.
- Can be towed at speeds of up to 40mph / 65kph.
- Powered from cigar lighter
- Setable in miles or kilometers

Ordering Information

Car Distance Measurer
5200 Supplied set to metric. (Can be configured to yards)

Features

- Robust solid tyre fitted to spoke wheel.
- Metric, imperial or a dual reading counter available.
- Heavy duty counting head fitted directly to wheel.
- Five figure counting head, 7mm high figures.
- Scraper to prevent mud build up on wheel.
- Adds forward subtracts in reverse.
- Accuracy $\pm 1\%$

Ordering Information

Land Measurer
5041-511 Metres/Decimetres
5041-512 Yards/Tenths
5041-503 Feet

Dual Reading Land Measurer
5043-511-511 Metres/Decimetres & Metres/Decimetres
5043-511-503 Metres/Decimetres & Feet
5043-511-512 Metres/Decimetres & Yards/Tenths

- Calibration Certificate



Ordering Information

5000 Road Measurer
5000-611 Metres/Decimetres
5000-612 Yards/Tenths
5000-519 Feet

Dual Reading Road Measurer
5002-611-611 Metres/Decimetres & Metres/Decimetres
5002-611-519 Metres/Decimetres & Feet
5002-611-612 Metres/Decimetres & Yards/Tenths

- Calibration Certificate

Measuremeter® REVOLUTION

5500E | 5505E | 5500 | 5505

With many unique features the Measure Meter and the Measuremeter Revolution should be the first choice for all your distance measuring applications. Fitted with a 1metre circumference wheel. You have the option of electronic or mechanical versions.



• Model shown 5505E

Description 5500E | 5505E

The new digital Measuremeter Revolution from Trumeter, combines advanced and patented technology for the first time to a measuring wheel at costs previously unimaginable. Using the latest electronic design technology, Trumeter have manufactured an electronic distance measuring wheel with more features than ever before.

Features

- Large LCD display
- Crystal clear in direct sunlight
- Backlight for low light conditions
- Waterproof to 1 metre
- Minimum 5 year battery life
- 3 year Guarantee
- Two measuring modes; trip and total
- Pushbutton reset
- Electronic brake
- Telescopic handle
- Mud scraper
- Retractable Stand
- Adds forward subtracts in reverse.
- Accuracy $\pm 1\%$

Ordering Information

| | |
|-------------------------|----------------------------------------|
| Measuremeter Revolution | |
| 5500E | Single (metric) |
| 5505E* | Single (imperial & metric) |
| 5500-6E | Master carton of 6 (metric) |
| 5505-6E* | Master carton of 6 (imperial & metric) |
| 100712-01 | Carry Bag |

* Only available in USA or Canada or upon request.

- Calibration Certificate

Description 5500 | 5505

With many unique features the Measure Meter should be the first choice for all your distance measuring applications. Fitted with a 1 metre circumference wheel.


Features

- Large easy to read display.
- Pointer indicates start position.
- Robust construction.
- Lifetime Guarantee.
- Retractable stand.
- Telescopic handle for easy carriage.
- Adds forward subtracts in reverse.
- Imperial version measures up to 10,000 feet
- Metric version measures up to 10,000 metres
- Accuracy $\pm 1\%$

Ordering Information

| | |
|---------------|-------------------------------|
| Measure Meter | |
| 5500 | Single (metric) |
| 5505 | Single (imperial) |
| 5500-6 | Master carton of 6 (metric) |
| 5505-6 | Master carton of 6 (imperial) |
| 100712-01 | Carry Bag |


- Calibration Certificate



MINI MEASURE REVOLUTION

5600E | 5605E | 5600 | 5605

With many unique features the Mini Measure Maxx and the Mini Measure Revolution should be the first choice for all your internal distance measuring applications. Fitted with a 25cm circumference wheel. You have the option of electronic or mechanical versions.



Description 5600E | 5605E

The new digital Mini Measure Revolution from Trumeter, combines advanced and patented technology for the first time to a measuring wheel at costs previously unimaginable. Using the latest electronic design technology, Trumeter have manufactured an electronic distance measuring wheel with more features than ever before.

The onboard microprocessor has the ability to apply mathematical calculations to the reading, making it capable of converting metres to yards or feet and inches at the push of a button. This feature is only available on the Imperial & Metric version.

Features

- Large LCD display
- Crystal clear in direct sunlight
- Backlight for low light conditions
- Weather and moisture proof
- Minimum 5 year battery life
- 3 year Guarantee
- Two measuring modes; trip and total
- Pushbutton reset
- Electronic brake
- Telescopic handle
- Adds forward subtracts in reverse

Ordering Information

| | |
|-------------------------|-----------------------------------------|
| Mini Measure Revolution | |
| 5600E | Single (metric) |
| 5605E* | Single (imperial & metric) |
| 5600-12E | Master carton of 12 (metric) |
| 5605-12E* | Master carton of 12 (imperial & metric) |

* Only available in USA or Canada or upon request.

Description 5600 | 5605

With many unique features the Mini Measure Maxx should be the first choice for all your internal distance measuring applications. Ideal for flooring contractors, carpet fitters and many more applications.

Features

- Large 5 digit counter resets to zero.
- Imperial model: 10,000ft/inches
- Metric model: 10,000m/cm
- Lifetime Guarantee.
- Telescopic handle
- Adds forward, subtracts in reverse.

Ordering Information

| | |
|-------------------|--------------------------------|
| Mini Measure Maxx | |
| 5600 | Single (metric) |
| 5600-12 | Master carton of 12 (metric) |
| 5605 | Single (imperial) |
| 5605-12 | Master carton of 12 (imperial) |

